Line segment addition postulate Handbook

Line Segment Addition Postulate: A Complete Guide to Understanding and Applying

Understanding the fundamental concepts in geometry is essential for students and professionals alike. One such crucial concept is the line segment addition postulate. This postulate forms the foundation for many geometric proofs and calculations involving line segments. In this comprehensive guide, we will explore what the line segment addition postulate is, how it is used, its importance in geometry, and practical examples to solidify understanding.

What is the Line Segment Addition Postulate?

Definition of the Line Segment Addition Postulate

The line segment addition postulate states that:

> If a point B lies on the line segment AC, then the length of AC is equal to the sum of the lengths of AB and BC.

Mathematically, this can be expressed as:

$$\text{If } B \text{ is between } A \text{ and } C, \text{ then } AB + BC = AC$$

This postulate assumes that points A, B, and C are collinear, meaning they all lie on the same straight line.

Why is it Important?

The line segment addition postulate is fundamental because:

- It allows us to divide and conquer complex line segments into smaller, manageable parts.
- It aids in establishing relationships between different segments in geometric figures.
- It is instrumental in proofs involving segment congruence and bisectors.
- It helps in coordinate geometry for calculating distances between points.

Key Concepts Related to the Line Segment Addition Postulate

Collinearity of Points

For the line segment addition postulate to apply, the points involved must be collinear. This means:

- Points A, B, and C lie on the same straight line.
- The point B lies somewhere between A and C, not outside the segment.

Betweeness of Points

The postulate specifically requires that B is between A and C. This is often written as:

$$ A - B - C $$

or

$$ B \text{ is between } A \text{ and } C $$

which implies:

$$ AB + BC = AC $$

Notation and Terminology

- Segment: The straight path connecting two points, denoted as AB, BC, etc.
- Distance/Length: The measure of a segment, often represented as |AB|, |BC|, etc.
- Betweeness: The positional relationship where point B lies on the segment AC such that A, B, and C are collinear, and B is between A and C.

Applying the Line Segment Addition Postulate

Basic Application

Given three collinear points A, B, and C, with known segment lengths, the postulate allows you to find missing lengths:

Example 1:

Suppose:

- AB = 5 units

- BC = 7 units
- A, B, C are collinear with B between A and C

Find AC.

Solution:

Using the postulate:

$$ AC = AB + BC = 5 + 7 = 12 \text{ units} $$

Reverse Application

If AC and AB are known, and A, B, C are collinear with B between A and C, then:

$$ BC = AC - AB $$

Example 2:

Given:

- AC = 15 units
- AB = 9 units

Find BC.

Solution:

$$ BC = AC - AB = 15 - 9 = 6 \text{ units} $$

Visual Representation of the Postulate

Diagram of Points on a Line

```

A -------- B -------- C

| | |
```

0 5 12 (segment lengths)

```

- AB = 5 units
- BC = 7 units
- AC = 12 units

The diagram shows that B lies between A and C, satisfying the line segment addition postulate.

The Role of the Postulate in Geometric Proofs

Proving Segment Congruence

The line segment addition postulate is often used to prove that two segments are congruent (equal in length):

Example:

Suppose AB ? DE, and B lies between A and C, while E lies between D and F. If AB + BC = AC and DE + EF = DF, then under certain conditions, segments can be proven congruent.

Coordinate Geometry Applications

In coordinate geometry, the postulate helps in computing the distances between points:

\[

|AB| = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}

\]

which aligns with the idea of dividing a segment into parts and summing their lengths.

Related Theorems and Postulates

Segment Bisectors and the Postulate

- A segment bisector divides a segment into two equal parts.
```

- Using the line segment addition postulate, we can prove that the bisected segments are congruent.

The Segment Subtraction Postulate

- It is a direct consequence of the line segment addition postulate.
- States that if B is between A and C, then:

$$ AC - AB = BC $$

Practical Examples and Problem-Solving Strategies

Problem 1: Find an Unknown Segment

Given:

- AB = 8 units
- AC = 15 units
- B lies between A and C

Find:

- BC

Solution:

Apply the postulate:

$$ BC = AC - AB = 15 - 8 = 7 \text{ units} $$

Problem 2: Verify Point Placement

Given:

- AB = 4 units
- BC = 6 units
- AC = 10 units

Question:

Is point B between A and C?

Answer:

Yes, because:

$$ AB + BC = 4 + 6 = 10 = AC $$

which satisfies the line segment addition postulate.

Common Mistakes and Clarifications

- Assuming Points Are Between Without Verification: Always verify that B lies between A and C before applying the postulate.
- Applying the Postulate to Non-Collinear Points: The postulate only applies to collinear points.
- Using the Postulate Out of Context: It only relates lengths on the same straight line; it does not apply to non-collinear points or in 3D space unless the points are coplanar and collinear.

Conclusion

The line segment addition postulate is a fundamental concept in geometry that simplifies the understanding of how segments relate to each other when points are collinear. It provides a straightforward way to divide, combine, and compare segments, making it indispensable for geometric proofs, coordinate geometry, and problem-solving.

By mastering this postulate, students and professionals can develop a stronger grasp of spatial relationships, leading to more advanced geometric reasoning and applications. Remember to always verify the collinearity and the position of the points to correctly apply the line segment addition postulate in your geometric endeavors.

Keywords for SEO Optimization

- Line segment addition postulate
- Geometry fundamentals
- Segment length calculation
- Collinear points
- Segment congruence

- Coordinate geometry
- Geometric proofs
- Segment bisectors
- Distance formula
- Geometry problem solving

Understanding the Line Segment Addition Postulate: A Comprehensive Guide

In the realm of geometry, understanding how to precisely measure and relate different parts of a figure is fundamental. One of the key principles that aids in this understanding is the line segment addition postulate. This postulate provides a straightforward yet powerful rule for understanding how the lengths of smaller segments relate to the length of a larger segment when they are collinear?that is, when they lie on the same straight line. Whether you are a student just beginning to explore geometric concepts or a teacher preparing instructional materials, grasping the line segment addition postulate is essential for building a strong foundation in geometric reasoning.

What Is the Line Segment Addition Postulate?

At its core, the line segment addition postulate states that if a point lies on a line segment between two other points, then the sum of the lengths of the smaller segments is equal to the length of the entire segment.

Formal Definition:

If point B lies on segment AC, then:

AB + BC = AC

This simple equation encapsulates a fundamental idea: the total length of a segment can be broken down into smaller, adjacent segments. Conversely, if the sum of two segments equals a third segment, then the point dividing them lies on that segment.

Visualizing the Postulate: An Intuitive Approach

Imagine you have a straight piece of string labeled points A, B, and C, arranged so that B is somewhere between A and C. If you measure the length from A to B and from B to C, the sum of these two measurements will exactly match the length of the entire string from A to C. This intuitive understanding is what the postulate formalizes mathematically.

Why Is the Line Segment Addition Postulate Important?

The line segment addition postulate is a foundational building block in geometry because it allows us to:

- Break down complex segments into manageable parts: By understanding how segments add up, we can analyze complex figures more easily.
- Establish relationships between parts of a figure: It aids in proofs and problem-solving where segment lengths are involved.
- Find missing lengths: Given some segment lengths, you can determine unknown segments by simple addition or subtraction.
- Support coordinate geometry: When working with points in the coordinate plane, this postulate helps in deriving coordinate formulas and distances.

Applying the Line Segment Addition Postulate

Basic Example:

Suppose you know:

- Segment AB measures 3 units
- Segment BC measures 5 units

If point B lies between points A and C, then the length of segment AC is:

AC = AB + BC = 3 + 5 = 8 units

This straightforward addition exemplifies the postulate's direct application.

Conditions for the Postulate to Hold

The line segment addition postulate relies on specific conditions:

- The points involved (A, B, C) must be collinear?that is, all on the same straight line.
- Point B must be between points A and C. If B were outside the segment, the postulate would not directly apply.

Understanding these conditions is crucial because applying the postulate outside of these constraints can lead to incorrect conclusions.

Formal Statement and Notation

Let points A, B, and C be on a line. If B lies between A and C (denoted as B is between A and C), then:

AB + BC = AC

In notation:

- If B ? segment AC, then AB + BC = AC

This notation emphasizes the importance of the point's position relative to the segment.

Using the Postulate in Geometric Proofs

The line segment addition postulate is a critical tool in geometric proofs, especially when dealing with:

- Congruence of segments
- Midpoints and bisectors
- Coordinate geometry calculations

Example:

Prove that if B is the midpoint of segment AC, then:

AB = BC

Using the postulate:

- Since B is the midpoint, by definition, AB = BC.
- From the postulate, AB + BC = AC.
- Because AB = BC, then 2 AB = AC.

This reasoning helps in establishing equal segment lengths and midpoint properties.

Common Mistakes and Misconceptions

- Applying the postulate when points are not collinear: The postulate only holds when the points are on the same straight line.
- Misidentifying the point's position: Remember that B must be between A and C for the sum to be valid.
- Assuming the sum of segments equals the whole without verifying the position: Always confirm that the points are aligned properly.

Practical Tips for Students and Educators

- Draw diagrams: Visualize points clearly to understand their positions.
- Label segments carefully: Clearly mark points and segment lengths.
- Use coordinate geometry: Assign coordinates to points to compute lengths precisely, which reinforces the postulate mathematically.
- Work through examples: Practice with different configurations to master the concept.

Advanced Applications

Once comfortable with the basic concept, the line segment addition postulate extends into more advanced topics:

- Coordinate Geometry: Using the distance formula to verify segment lengths and their sums.
- Segment Bisectors: Establishing when a segment is divided into two equal parts.
- Coordinate proofs: Demonstrating properties of geometric figures algebraically.
- Proofs involving congruent segments: Showing segments are equal based on their parts.

Summary

The line segment addition postulate is a simple yet powerful principle that allows us to understand and manipulate the lengths of segments on a straight line. It forms the basis for many geometric proofs, problem-solving strategies, and coordinate geometry calculations. Remember, the key conditions are collinearity and the point lying between the endpoints. Mastering this postulate enhances your geometric reasoning and lays the groundwork for more complex concepts in mathematics.

Final Thoughts

Whether you're measuring segments in a construction project, solving a geometry problem, or proving a theorem, the line segment addition postulate is an essential tool. Its simplicity belies its importance in understanding the structure of geometric figures and relationships. By practicing its

application and recognizing its conditions, you'll develop a solid foundation for exploring the fascinating world of geometry.

QuestionAnswer What is the line segment addition postulate? The line segment addition postulate states that if a point lies on a line segment between two other points, then the length of the entire segment is the sum of the lengths of the two smaller segments. How do you apply the line segment addition postulate in geometry problems? To apply the postulate, identify a point on a segment between two endpoints and then set the total segment length equal to the sum of the lengths of the parts, allowing you to find missing segment lengths. Can the line segment addition postulate be used with coordinate geometry? Yes, in coordinate geometry, you can use the distance formula to find segment lengths and verify the postulate by checking if the sum of parts equals the whole. What are common mistakes when using the line segment addition postulate? Common mistakes include assuming the postulate applies when the point is not between the two endpoints or misidentifying the segments, leading to incorrect calculations. Is the line segment addition postulate applicable to all types of segments? It applies specifically to line segments where the point lies between the endpoints; it does not apply if the point is outside the segment or creates a different geometric configuration. How is the line segment addition postulate related to the concept of congruence? While the postulate deals with lengths and addition of segments, congruence relates to segments having equal lengths; the postulate often helps in proving congruence or parts of segments. Can the line segment addition postulate be extended to three or more points? Yes, it can be applied iteratively to find the lengths of multiple segments along a straight line, summing individual parts to find the total length.

Related keywords: segment addition, collinear points, endpoint, point on line, collinearity, segment, geometry postulate, points on line, segment length, linearity

Segment routing part i

Segment Routing Part I

Segment Routing (SR) is an innovative and flexible approach to network routing that simplifies the way data packets are forwarded through complex networks. As part of the evolving landscape of software-defined networking (SDN) and traffic engineering, SR offers scalable, efficient, and programmable routing solutions. This article explores the foundational concepts, architecture, and key components of Segment Routing, providing a comprehensive understanding of its role in modern network infrastructure.

Introduction to Segment Routing

Segment Routing is a source-based routing paradigm that enables the source node to define the path a packet should follow through the network. Unlike traditional routing protocols that rely heavily on distributed path computation and state information maintained by each node, SR consolidates control and simplifies network operations.

What is Segment Routing?

Segment Routing allows a packet to carry a list of instructions, known as segments, which guide its traversal through the network. These segments can represent topological instructions, service functions, or policies. The key features include:

- Source-based path definition
- Reduced state information in network nodes
- Flexibility in traffic engineering and network slicing
- Compatibility with existing routing protocols

Comparison with Traditional Routing Protocols

Feature	Traditional Routing	Segment Routing
Path Computation	Distributed	Centralized or Distributed (via source)
State in Network	Per-node state (e.g., LSPs in MPLS)	Minimal, carried in packet headers
Flexibility	Limited	High, with programmable segments
Scalability	Limited with large networks	Improved due to reduced state

Fundamental Principles of Segment Routing

Understanding the core principles that underpin SR is essential to grasp its operational benefits and deployment models.

Source Routing

In SR, the source node, or an ingress router, specifies the exact sequence of segments for the packet. This sequence guides the packet through the network, ensuring predictable and optimized routing.

Segments as Instructions

Segments are abstract representations of network instructions that can be:

- Topological segments ? specify particular nodes or links
- Service segments ? invoke specific network functions or services
- Anycast segments ? select among multiple potential destinations

Segment List

The segment list is an ordered collection of segments attached to each packet, typically encoded in the packet header, which the network devices interpret as per the segment instructions.

Architectural Components of Segment Routing

Segment Routing's architecture leverages existing routing protocols and introduces new control plane and data plane components to support its functionality.

Control Plane

The control plane is responsible for distributing segment information and establishing label bindings. It interacts with routing protocols such as OSPF or IS-IS to advertise segment-related information.

Data Plane

The data plane forwards packets based on the segment list carried within the packet header, utilizing MPLS labels or IPv6 segments.

Key Elements

- **Segment Identifiers (SIDs):** Unique labels representing segments.
- **Locator and Identifier (L&I):** Mechanisms to encode segments.
- **Segment Routing Header (SRH):** Encapsulates the segment list in IPv6 or MPLS label stack.

Types of Segments in Segment Routing

Different segment types serve various functions within the network.

Node Segments

Represent specific nodes in the topology, guiding the packet to reach particular routers.

Adjacency Segments

Specify specific links or adjacency paths between nodes, providing finer control over the path.

Service Segments

Invoke network services such as firewalls, load balancers, or NAT functions.

Anycast Segments

Allow routing to the nearest or best destination among multiple options, aiding in load balancing and redundancy.

Implementation of Segment Routing

Implementing SR involves multiple steps, including establishing the segment identifiers, distributing segment information, and ensuring the network devices interpret the segment list correctly.

Segment Identifier (SID) Assignment

SIDs can be assigned in various ways:

- Static assignment by network administrators
- Dynamic assignment through control plane protocols

Distribution of Segment Information

Using routing protocols such as OSPF or IS-IS, segment information is advertised across the network, allowing nodes to learn about available segments and their associated SIDs.

Packet Encapsulation

The segment list is encapsulated within the packet header:

- In MPLS, as a stack of labels
- In IPv6, within the Segment Routing Header (SRH)

Advantages of Segment Routing

Adopting SR offers numerous benefits over traditional routing techniques.

Simplification of Network Architecture

By reducing per-flow state and leveraging source routing, SR simplifies network management and reduces complexity.

Enhanced Traffic Engineering

Operators can precisely control paths, optimize resource utilization, and avoid congested links.

Scalability

Minimal state information in network nodes allows SR to scale efficiently in large networks.

Flexibility and Programmability

SR supports network slicing, service chaining, and dynamic policy enforcement.

Compatibility

Works with existing IP/MPLS infrastructure, enabling gradual deployment.

Deployment Scenarios and Use Cases

Segment Routing is versatile and applicable across various network environments.

Service Provider Networks

- Traffic engineering and fast reroute
- Simplified MPLS VPNs
- Network slicing for multiple tenants

Data Center Networks

- Efficient load balancing
- Path optimization for east-west traffic

Enterprise Networks

- Application-specific routing
- Simplified network management

Conclusion and Outlook

Segment Routing Part I lays the foundation for understanding this transformative approach to network routing. Its integration with existing protocols, simplicity, and scalability make it an attractive solution for modern networks. As networks continue to evolve towards greater flexibility and programmability, SR is poised to play a central role in future network architectures.

Future discussions will delve into advanced topics such as Segment Routing in IPv6 (SRv6), detailed control plane mechanisms, and real-world deployment challenges and best practices. Embracing SR can lead to more agile, efficient, and manageable networks, aligning with the demands of today?s digital ecosystem.

Segment Routing Part I: An In-Depth Exploration of Modern Network Routing

Segment routing part I marks the beginning of a transformative chapter in the realm of network routing, promising enhanced flexibility, scalability, and simplification of network architectures. As service providers and enterprises alike increasingly seek more efficient ways to manage their sprawling networks, segment routing (SR) emerges as a compelling solution. This article aims to dissect the foundational aspects of segment routing, providing a technical yet accessible overview that sets the stage for deeper exploration in subsequent discussions.

What is Segment Routing?

At its core, segment routing is a source-based routing paradigm that allows a network endpoint?be it a client, server, or network device?to define the path a packet should take through the network. Unlike traditional routing, which relies on distributed control plane protocols like OSPF or BGP to determine the best path dynamically, segment routing embeds path instructions directly into packet headers.

Key Concept: Instead of relying solely on each router's decision-making, segment routing empowers the ingress node (the source) to specify a sequence of instructions, called segments, that guide the packet through the network.

The Evolution from Traditional Routing to Segment Routing

To appreciate SR's significance, it's essential to understand how it differs from and improves upon legacy routing techniques.

Traditional Routing Approaches

- IP Forwarding: Routers make independent forwarding decisions based on destination IP addresses, relying on routing tables built through protocols like OSPF, IS-IS, or BGP.
- Traffic Engineering Limitations: While effective for many applications, traditional IP routing can be inflexible, especially when specific paths are needed for load balancing, latency optimization, or redundancy.

MPLS and Its Role

Multiprotocol Label Switching (MPLS) introduced label-based forwarding, enabling more efficient and flexible traffic management. Techniques like RSVP-TE allowed explicit path setup, but they added complexity and statefulness to networks.

Enter Segment Routing

Segment routing unifies and simplifies these concepts by leveraging MPLS or IPv6 headers to encode path instructions, eliminating the need for per-flow state in the network core. This shift provides:

- Simplification: Reduced protocol complexity.
- Scalability: No need for maintaining per-path state in intermediate routers.
- Flexibility: Fine-grained control over traffic paths.

The Building Blocks of Segment Routing

Segment routing relies on the concept of segments, which are abstract representations of topological or service-based instructions.

Types of Segments

Segments can be broadly categorized into:

- Node Segments: Represent a particular node (router) in the network.
- Adjacency Segments: Represent a specific link or adjacency between two nodes.

- Service Segments: Indicate specific network services, such as firewall or NAT functions.

Segment Lists

A segment list is an ordered sequence of segments that a packet should traverse. This list is encoded within the packet header and acts as a "route instruction set."

Encoding the Segment List

- MPLS Labels: In MPLS-based SR, each segment is represented as a label.
- IPv6 Segment Routing Header (SRH): In IPv6, segments are embedded within the SRH extension header.

How Segment Routing Works in Practice

The operation of segment routing can be broken down into stages:

- Path Computation

The ingress node computes the desired path based on network policies, performance metrics, or other considerations. This computation may involve complex algorithms but is performed outside the core network.

- Segment List Creation

Once the path is determined, the ingress node constructs the corresponding segment list, choosing appropriate segments to represent the route.

- Packet Forwarding

The packet, now carrying the segment list in its header, is forwarded through the network. Each router, upon receiving the packet, reads the top segment from the header:

- If it's a node segment, the router forwards the packet toward the specified node.
- If it's an adjacency segment, it ensures the packet follows a specific link.
- The router then updates the header by popping the processed segment and forwards the packet

to the next segment.

- Completion

This process continues until all segments are processed, and the packet reaches its final destination.

Advantages of Segment Routing

Segment routing offers multiple benefits that make it attractive for modern networks:

- Simplification of Network Protocols: No need for complex signaling protocols like RSVP-TE for path setup.
- Stateless Core: Intermediate routers do not need to maintain per-flow state, reducing complexity and resource consumption.
- Enhanced Traffic Engineering: Precise control over paths enables better load balancing and fault tolerance.
- Scalability: Suitable for large-scale networks due to its stateless nature.
- Integration with Existing Protocols: Seamless support with IPv6 and MPLS.

Deployment Scenarios and Use Cases

Segment routing is versatile and can be applied across various networking contexts:

Traffic Engineering (TE)

Operators can optimize link utilization and improve network resilience by explicitly steering traffic along predefined paths, avoiding congestion or failed links.

Fast Reroute

In case of link or node failures, SR enables rapid rerouting by precomputing backup segment lists, minimizing downtime.

Network Simplification

Removing the need for complex signaling protocols simplifies network design and operation, reducing costs and operational overhead.

VPN and Service Chaining

Segment routing can embed service-specific segments, enabling flexible service chaining for VPNs and network functions.

Challenges and Considerations

While promising, segment routing introduces certain challenges:

- Segment List Size: Long paths require longer segment lists, potentially increasing header overhead.
- Segment Management: Efficiently managing and distributing segment identifiers (especially in large networks) demands robust control plane mechanisms.
- Interoperability: Ensuring compatibility between different vendor implementations and network segments.
- Security: Protecting segment instructions from tampering or malicious attacks is critical.

Future Outlook and Developments

As network demands grow, segment routing continues to evolve with features like:

- Segment Routing with IPv6 (SRv6): Extending SR capabilities into the IPv6 space, enabling more flexible and programmable networks.
- Integration with Network Automation: Automating segment list computation and distribution via SDN controllers.
- Enhanced Security Mechanisms: Implementing authentication and encryption for segment instructions.

Conclusion: The Promise of Segment Routing Part I

Segment routing part I offers a glimpse into a future where networks are more agile, scalable, and easier to manage. By embedding explicit path instructions within packets, SR reduces complexity while unlocking new possibilities for traffic engineering, network automation, and service provisioning. As the technology matures, it is poised to become a fundamental building block of next-generation networks, shaping the way data flows across the global digital landscape.

In subsequent parts, we will delve deeper into protocol specifics, implementation challenges, vendor support, and real-world case studies, building on this foundational understanding of segment routing?s core principles.

QuestionAnswer What is Segment Routing and how does it differ from traditional MPLS forwarding? Segment Routing (SR) is a source-based forwarding paradigm that simplifies network operation by encoding the path a packet should follow using a list of segments, eliminating the need for maintaining per-flow state in the network. Unlike traditional MPLS that relies on per-path signaling protocols like LDP or RSVP-TE, SR embeds the segment list directly into the packet header, enabling more scalable and flexible routing. What are the main components of Segment Routing architecture? Segment Routing architecture primarily comprises Segment Identifiers (SIDs), which represent specific instructions or topological segments, and a Segment List that defines the path. The control plane manages the distribution of SIDs, and the data plane forwards packets based on the segment list embedded in the packet header, typically using MPLS labels or IPv6 Routing Headers. How does Segment Routing improve network scalability? Segment Routing reduces state information stored in network devices by encoding the path directly within the packet header. This eliminates the need for per-flow state in intermediate routers, simplifying network management and scaling. It also enables easier traffic engineering and rapid recovery, further enhancing overall network scalability. What types of segments are used in Segment Routing? Segments in Segment Routing can be of various types, including Topological Segments (representing a node or adjacency), Service Segments (representing network services), and any custom segments defined for specific functions. These segments are identified by unique SIDs, which can be MPLS labels or IPv6 addresses. How is Segment Routing implemented in IPv6 networks? In IPv6 networks, Segment Routing is implemented using the IPv6 Routing Header (Routing Header Type 4), which carries the list of SIDs. Each SID is an IPv6 address that encodes a specific segment, allowing source nodes to specify the exact path or instructions for packet forwarding without relying on MPLS labels. What are the advantages of using Segment Routing in traffic engineering? Segment Routing simplifies traffic engineering by allowing explicit path control directly from the source or network controller. It enables efficient path computation, quick rerouting in case of failures, and reduces the complexity associated with traditional MPLS TE signaling protocols, leading to more flexible and scalable traffic management. What are the security considerations related to Segment Routing? Since Segment Routing involves embedding path information within packets, security measures such as cryptographic authentication and integrity verification are essential to prevent unauthorized manipulation of segment lists. Proper access controls and encryption can help mitigate risks of route hijacking or malicious modifications. What are the typical deployment scenarios for Segment Routing? Segment Routing is widely deployed in large service provider networks for traffic engineering, fast reroute, and network automation. It is also used in data centers for simplified intra-data center routing and in multi-domain environments to facilitate end-to-end path control without complex signaling protocols.

Related keywords: segment routing, SR, source routing, network automation, traffic engineering, SR-MPLS, segment identifiers, SR architecture, network segmentation, segment routing protocols

Read the full article online: segment routing part i